DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For use in nurseries, greenhouses, shade houses, and residential locations.

General Propagating:

- 1. Ready-to-use. No dilution necessary. Pour a small amount of EZ-Gro CLONES liquid rooting solution into a clean small container. Performing a small trial prior to mass use is required.
- 2. Using a clean scalpel, razor or scissors, take a 3-6 inch cutting from a healthy, disease-free mother plant directly beneath the node at a 45 degree angle. Remove large leaves or cut them in half to help prevent water loss through transpiration. The cutting is less likely to wilt.
- 3. Immediately submerge the cutting's stem into the rooting solution to the most desired rooting depth for at least 5 seconds (OPTIMAL 0.5 to 1 inch in height from the base for 5-20 seconds for softwood plants and 10 to 30 seconds for hardwood plants). Increase dipping time to 1-3 minutes for hard to root cuttings.
- 4. Insert the cutting into the moist, preferred choice of growing medium. Optimally use a plant propagation kit with a clear humidity dome, maintain an ideal environment with temperatures ranging from 72-78°F and high humidity of 80% and up with good air circulation and lighting.

Mist Propagation: Mix ½ tsp Clones per gallon of water and add to the systems holding tank. Keep the cutting moist at all times.

Total Immersion: Use room temperature water. Place cuttings in strainer. In a separate container mix 1 parts Clones with 20-30 parts water. Submerge cuttings for 10 seconds, place in growing medium and allow to air dry.

Foliar Application: Spray 1 TBSP Clones per quart of water (50-100 ppm) on leaves and stem until runoff. Repeat spray every 7-10 days until roots are established. Adding a surfactant may improve performance.

Reduce Transplant Shock: In newly divided or transplanted plants, water weekly with 1 tsp of Clones per gallon of water for 3-4 weeks.



Professional Rooting Compound

- Promotes vigorous root growth.
- Helps overcome transplant shock.
- Improves propagation of plant cuttings.
- Revitalizes damaged or poor root systems.
- Ready-to-use. No dilution necessary
- Can be used on tobacco and hemp cuttings.

ACTIVE INGREDIENT(S):

Indole-3-butyric acid (IBA)	0.15%
1-naphthylacetic acid (NAA)	
INERT INGREDIENTS	99.77%
TOTAL	100.00%

KEEP OUT OF REACH OF CHILDREN CAUTION

See additional Precautionary Statements on side panel.

Manufactured by:

Higrocorp Inc

661 Justus Drive, Kingston, Ontario, Canada K7M 4H5

EPA Reg. No. 82752-2

EPA Est. No. XXXXX-XX-X

NET CONTENTS: 16 oz (473ml)

Lot No. XXXXXXXX

EIDCT AID.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For medical emergency treatment, all 1-800-222-1222. For non-emergency information on this product, contact the National Pesticides Information Center (NPIC) at 1-800-858-7378, Monday through Friday, 8 AM to 12 PM PST. or at http://noic.ors.te.du.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

PHYSICAL OR CHEMICAL HAZARDS: COMBUSTIBLE: Do not use or store near heat or open flame.

ENVIRONMENTAL HAZARDS: Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. PESTICIDE STORAGE: Store in original container in a cool dark place and out of direct sunlight. Place in a locked storage area. Protect from freezing. PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance CONTAINER HANDLINIG: Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling, if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

WARRANTY

To the fullest extent permitted by law, neither the manufacturers nor the seller make any warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use of this material when such use is contrary to label instructions. Read and follow the label directions carefully.